

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17	(total with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((smooth\$5 or gradual\$5 or continuous\$3) with total with (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:41
S2	18	(total with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with total with (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:41
S3	0	S2 and ((combination or plural\$5 or multiple) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((select \$5 or choos\$5 or designat\$5 or assign \$8) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((satisf\$8 or meet \$5 or close\$3 or nearest or nearer or "near" or approximat\$5 or intersect\$5) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:46

S4	1	S2 and ((combination or plural\$5 or multiple) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((select \$5 or choos\$5 or designat\$5 or assign \$8) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) and ((satisf\$8 or meet\$5 or close\$3 or nearest or nearer or "near" or approximat\$5 or intersect\$5) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:47
S5	12	((volume or combined or cumulative or aggregate or total) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with (volume or combined or cumulative or aggregate or total) with (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:48
S6	3	S5 and ((combination or plural\$5 or multiple) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((select \$5 or choos\$5 or designat\$5 or assign \$8) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) and ((satisf\$8 or meet\$5 or close\$3 or nearest or nearer or "near" or approximat\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:49

		intersect\$5) with function)				
S7	12	((volume or combined or cumulative or aggregate or total or sum or summation) with ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c +bk" or "y + m + c + bk" or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with (volume or combined or cumulative or aggregate or total) with (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:51
S8	12	((((volume or combined or cumulative or aggregate or total or sum or summation) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m +c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with (volume or combined or cumulative or aggregate or total) with (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:54
S9	12	((((volume or combined or cumulative or aggregate or total or sum or summation) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m +c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:55

		((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with (volume or combined or cumulative or aggregate or total or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") with (function))				
S10	25	(((volume or combined or cumulative or aggregate or total or sum or summation) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m +c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) same (volume or combined or cumulative or aggregate or total or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") same (function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:55
S11	3	S10 and ((combination or plural\$5 or multiple or permutation) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) and ((satisf\$8 or meet\$5 or close\$3 or nearest or nearer or "near" or approximat\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:56

		intersect\$5) same function)				
S12	186	(((volume or combined or cumulative or aggregate or total or sum or summation) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) same (volume or combined or cumulative or aggregate or total or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:56
S13	9	S12 and ((combination or plural\$5 or multiple or permutation) with ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((select\$5 or choos\$5 or designat\$5 or assign\$8) with ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) and ((satisf\$8 or meet\$5 or close\$3 or nearest or nearer or "near" or approximat\$5 or intersect\$5) same function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 09:57

S14	98	(((volume or combined or cumulative or aggregate or total or sum or summation) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) with (derivative or slope or smooth\$5 or gradual\$5 or continuous\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:11
S15	1	S14 and ((combination or plural\$5 or multiple or permutation) with ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((select\$5 or choos\$5 or designat\$5 or assign\$8) with ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same (derivative or slope or smooth\$5 or gradual\$5 or continuous\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:13
S16	3	S14 and (((volume or combined or cumulative or aggregate or total or sum or summation) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c +	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:15

		k" or "y+m+c+bk" or "y + m + c + bk")) same (kink or jump\$5 or discontinu\$7 or tone \$3jump\$5 or spike))				
S17	13	S14 and (((volume or combined or cumulative or aggregate or total or sum or summation) with (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same (kink or jump\$5 or discontinu\$7 or tone \$3jump\$5 or noise or spike))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:15
S18	1792	(((volume or combined or cumulative or aggregate or total or sum or summation) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) with (derivative or slope or smooth\$5 or gradual\$5 or continuous\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:15
S19	64	S18 and (((volume or combined or cumulative or aggregate or total or sum or summation) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same (kink or jump\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:16

		or discontinu\$7 or tone \$3jump\$5 or noise or spike))				
S20	3	S19 and ((combination or plural\$5 or multiple or permutation) with ("y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) same ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m +c" or "y + m + c" or "y +m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:17
S21	8	S19 and ((combination or plural\$5 or multiple or permutation) with ("y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) and ((select\$5 or choos \$5 or designat\$5 or assign\$8) with (combination or "y+m +c" or "y + m + c" or "y +m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:18

S22	45	S18 and (((volume or combined or cumulative or aggregate or total or sum or summation) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) with (kink or jump\$5 or discontinu\$7 or tone \$3jump\$5 or noise or spike))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:28
S23	16	S22 and ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:28
S24	45	S18 and (((volume or combined or cumulative or aggregate or total or sum or summation) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) with (kink or jump\$5 or discontinu\$7 or tone \$3jump\$5 or noise or spike or non\$3smooth \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:30

S25	21	S22 and ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or y or m or c or black or ymck or cmyk or ymc or cmcy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:31
S26	111	S18 and ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or y or m or c or black or ymck or cmyk or ymc or cmcy or ymcbk or cmybk or (y near3 m near3 c))) same (derivative or slope or smooth\$5 or gradual\$5 or continuous\$3 or kink or jump\$5 or discontinu\$7 or tone\$3jump\$5 or noise or spike or non \$3smooth\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 10:33
S27	11	S26 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:01
S28	2	S26 and "101".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:06

S29	1	S18 and ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or y or m or c or black or ymck or cmyk or ymc or cmY or ymcbk or cmybk or (y near3 m near3 c))) same (artifact)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:07
S30	2	"20010035968".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:09
S31	2	"5633662".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:12
S32	1	"20010035968".pn. and ((select\$5 or choos\$5) with k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:14
S33	0	"20010035968".pn. and ((select\$5 or choos\$5) with k) same (total or restriction) same function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:14
S34	1	"20010035968".pn. and ((select\$5 or choos\$5) with k) same (total or restriction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:14
S35	0	"20010035968".pn. and ((select\$5 or choos\$5) with k) same (total or restriction) and ((total or restriction) with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:15

S36	0	"20010035968".pn. and ((select\$5 or choos \$5) with k) same (total or restriction) and ((total or restriction) with smooth\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:15
S37	1	"20010035968".pn. and ((select\$5 or choos \$5) with k) same (total or restriction) and ((total or restriction) with T)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:15
S38	1	"20010035968".pn. and ((select\$5 or choos \$5) with k) same (total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:17
S39	29	((((volume or combined or cumulative or aggregate or total or sum or summation) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) with (non\$3linear or (non adj3 linear))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:22
S40	13	S39 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:23
S41	1	((restriction or threshold) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m +c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) with (non\$3linear or (non adj3 linear)) same ((max or maximum or total or cumulative or aggregate or usage or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:27

		consum\$6) with (restriction or threshold))				
S42	1	(((restriction or threshold)) with (non \$3linear or (non adj3 linear)) same ((ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m +c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same ((max or maximum or total or cumulative or aggregate or usage or consum\$6) with (restriction or threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:28
S43	32	(((volume or combined or cumulative or aggregate or total or sum or summation) same (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) with (non\$3linear or (non adj3 linear))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:28
S44	104	(((volume or combined or cumulative or aggregate or total or sum or summation) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same (non\$3linear or (non adj3 linear))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:30

S45	45	S44 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:31
S46	0	"627657".ap. and (readable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:53
S47	0	"627657".ap. and (computer-readable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:53
S48	1	"627657".ap. and (computer with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:53
S49	1	"627657".ap. and (computer with program with medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:53
S50	1	"627657".ap. and (storage adj2 medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:55
S51	1	"627657".ap. and (storage adj2 medium) same program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:55
S52	1	"627657".ap. and (storage adj2 medium) same program same read\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 11:55

S53	14	((((volume or combined or cumulative or aggregate or total or sum or summation) with (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c))) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")) same ((non\$3linear or (non adj3 linear)) with (curve or function) with (volume or combined or cumulative or aggregate or total or sum or summation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:26
S54	65	((non\$3linear or (non adj3 linear)) with (curve or function) with ((ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:29
S55	35	S54 and ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:29
S56	14	S55 and ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:31

S57	65	((non\$3linear or (non adj3 linear)) with (curve or function) with (((total near3 (ink)) or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)) or ("y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:43
S58	3178	((curve or function) with (((total near3 (ink)) or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:43
S59	1949	S58 and ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:44
S60	321	S59 and ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:44
S63	90	S60 and ((nonlinear\$7 or non\$3linear\$7 or (non adj2 linear\$7)) same (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:45

S64	335	((curve or function) with (((total near3 (ink)) or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)) or ("y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")))) same ((select\$5 or choos\$5 or designat\$5 or assign \$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:50
S65	83	S64 and ((derivative or slope or smooth\$5 or gradual\$5 or continuous\$3) with (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:54
S66	28	S65 and ((nonlinear\$7 or non\$3linear\$7 or (non adj2 linear\$7)) same (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:54
S67	7	((curve or function) with (total near3 (ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")))) same ((select\$5 or choos\$5 or designat\$5 or assign \$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 13:58

		ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))				
S68	7	((curve or function) with (total near3 (colorant or coloring or ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")))) same ((select\$5 or choos\$5 or designat\$5 or assign \$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c +bk" or "y + m + c + bk" or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:00
S69	15	((curve or function) with (total near3 (colorant or coloring or ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")))) same ((select\$5 or choos\$5 or designat\$5 or assign \$8) with (combination or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c +bk" or "y + m + c + bk" or colorant or coloring or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:01

S70	19	((curve or function) with (total near3 (color or colorant or coloring or ink or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")))) same ((select\$5 or choos\$5 or designat\$5 or assign\$8) with (combination or "y+m+c" or "y + m + c" or "y +m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk" or colorant or coloring or k or bk or black or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:02
S71	8	((curve or function) with (total near3 (coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") same ((smooth\$5 or continuous\$4) with (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 15:57
S72	12	((curve or function) with (total near3 (coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:02

		and (((smooth\$5 or continuous\$4) with (curve or function)) same (total near3 (coverage or color or colorant or coloring or ink)))				
S73	5	("6134022" "6292195" "6575095").PN. OR ("7032989").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/15 16:08
S74	0	S73 and (((smooth\$5 or continuous\$4) with (curve or function)) same (total near3 (coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:09
S75	2	S73 and ((smooth\$5 or continuous\$4) with (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:09
S76	12	((curve or function) with (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and (((smooth\$5 or continuous\$4) with (curve or function)) same (total near3 (coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:10

S77	12	((curve or function) with (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and (((smooth\$5 or continuous\$4) with (curve or function)) same (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:11
S78	14	((curve or function) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and (((smooth\$5 or continuous\$4) with (curve or function)) same (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:11
S79	19	((curve or function) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y +	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:11

		m + c + bk") and (((smooth\$5 or continuous\$4) same (curve or function)) same (total near3 (density or coverage or color or colorant or coloring or ink)))				
S80	19	((curve or function or non-linear\$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and (((smooth\$5 or continuous\$4) same (curve or function)) same (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:22
S81	12	((curve or function or non-linear\$6 or nonlinear\$6 or linear \$6) with (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and (((smooth\$5 or continuous\$4) same (curve or function)) same (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:24

S82	30	((curve or function or non-linear\$6 or nonlinear\$6) with (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4) same (curve or function or non-linear\$6 or nonlinear\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:27
S83	2	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) with (curve or function or non-linear \$6 or nonlinear\$6) with (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4 or kink or jump\$5 or discontinu\$7 or impulse or noise) same (curve or function or non-linear \$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:36

S84	13	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same (curve or function or non-linear \$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4 or kink or jump\$5 or discontinu\$7 or impulse or noise) same (curve or function or non-linear \$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:39
S85	21	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same (curve or function or non-linear \$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4 or kink or jump\$5 or discontinu\$7 or impulse or noise or artifact) same (curve or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:44

		function or non-linear \$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink)))				
S86	2	("6435657").PN. OR ("6637849").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/17 08:45
S87	23	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same (curve or function or non-linear \$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4 or kink or jump\$5 or discontinu\$7 or impulse or noise or artifact) same (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:55
S88	0	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same ((curve or function or non-linear\$6 or nonlinear\$6) with fit\$3) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:59

		or "y+m+c+bk" or "y + m + c + bk")				
S89	0	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same ((curve or function or non-linear\$6 or nonlinear\$6) same fit \$3) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:59
S90	17	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same (curve or function or non-linear \$6 or nonlinear\$6) same (total near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4 or kink or jump\$5 or discontinu\$7 or impulse or noise or artifact) with (total near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 08:59

S92	107	(hiromitsu near3 nishikawa).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:14
S93	805	(kazuhiro near3 saito).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:14
S94	28	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same (curve or function or non-linear \$6 or nonlinear\$6) same ((cumulative or volume or aggregate or total) near3 (density or coverage or color or colorant or coloring or ink))) same (ymck or cmck or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y +m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4 or kink or jump\$5 or discontinu\$7 or impulse or noise or artifact) same ((cumulative or volume or aggregate or total) near3 (density or coverage or color or colorant or coloring or ink)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:15
S95	29	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same (curve or function or non-linear \$6 or nonlinear\$6) same ((cumulative or volume or aggregate or total) near3 (density or coverage or color or colorant or coloring or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:17

		ink))) same (((color or colorant or coloring or ink) near3 material) or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c+k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and ((smooth\$5 or continuous\$4 or kink or jump\$5 or discontinu\$7 or impulse or noise or artifact) same ((cumulative or volume or aggregate or total) near3 (density or coverage or color or colorant or coloring or ink)))				
S96	14	S95 and ((cumulative or volume or aggregate or total) with (linear\$8 or non or non\$3linear\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:34
S97	18	S95 and ((cumulative or volume or aggregate or total) same (linear\$8 or non or non\$3linear\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:35
S98	2	"5739828".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:35
S99	1	"5739828".pn. and d	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:35
S100	1	"5739828".pn. and (linear\$8 or non or non\$3linear\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:36

S101	1	"5739828".pn. and (linear\$8 or non or non \$3linear\$6) same (volume or total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:36
S102	1	"5739828".pn. and (linear\$8 or non or non \$3linear\$6) same3 (volume or total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:36
S103	1	"5739828".pn. and (y near3 c) same3 (volume or total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:37
S104	1	"5739828".pn. and (y near3 c) same (volume or total)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:37
S105	0	"5739828".pn. and (total with volume)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:56
S106	1	"5739828".pn. and (total same volume)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 10:56
S107	0	"5739828".pn. and (limit \$5 same volume)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 11:01
S108	1	"5739828".pn. and (limit \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 11:01
S109	2	"627657".ap. and volume	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 11:02

S110	1	"5739828".pn. and (transform\$5 with volume)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 11:08
S111	3	S95 and (S92 or S93)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 11:09
S112	2	"20010035968".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 08:51
S113	0	"20010035968".pn. and (cmyk2 same input \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 08:51
S114	0	"20010035968".pn. and (cmyk2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 08:52
S115	0	"20010035968".pn. and (ymck2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 08:52
S116	1	"20010035968".pn. and (select\$5 same input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 08:52
S117	0	"20010035968".pn. and (optimu\$5 same input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 08:52
S118	1	"20010035968".pn. and (optim\$5 same input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 08:52

S119	2	"5739828".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:13
S120	1	"5739828".pn. and ((din or dout) same volume) same3 (linear \$8 or non or non \$4linear\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:14
S121	1	"5739828".pn. and ((ink adj3 droplet) same (ymck or ymc or cmv or (y near3 c) or yellow)) and ((din or dout) same volume) same3 (linear\$8 or non or non\$4linear\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:16
S122	1	"5739828".pn. and ((ink adj3 droplet) same (ymck or ymc or cmv or (y near3 c) or yellow)) and ((din or dout) same volume) and (linear\$8 or non or non\$4linear\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:18
S123	1	"5739828".pn. and ((ink adj3 droplet) same (ymck or ymc or cmv or (y near3 c) or yellow)) and ((din or dout) same volume) and (linear\$8 or non or non\$4linear\$7) and (volume with transform \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:19
S124	1	"5739828".pn. and total	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:26
S125	0	"5739828".pn. and ((din or dout) with (color))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:30

S126	0	"5739828".pn. and ((din or dout) with (r near3 g))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:30
S127	1	"5739828".pn. and ((din or dout) same (color))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 09:30
S128	0	"5739828".pn. and spline	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 10:11
S129	0	"20010035968".pn. and spline	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 10:11
S130	18	((input\$5 or rgb or lab or cielab or "L*a*b*" or "l*a*b*" or (r near3 g near3 b)) same (curve or function) same ((cumulative or volume or aggregate or total) near3 (density or coverage or color or colorant or coloring or ink))) same (((color or colorant or coloring or ink) near3 material) or ymck or cmyk or ymc or cmy or ymcbk or cmybk or (y near3 m near3 c) or "y+m+c" or "y + m + c" or "y+m+c +k" or "y + m + c + k" or "y+m+c+bk" or "y + m + c + bk") and (spline with (curve or function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 10:12

6/18/09 2:12:02 PM

C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10627657.061109.wsp